

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(TINDAL near GLEN) (SCHENK near JEFFERY)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:07
L2	1978	713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L3	14	L2 and generic with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L4	0	L3 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L5	634	network with configur\$8 same command same capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L6	4	L5 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L7	296	network with configur\$8 with command same capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L8	2	L7 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L9	32	network with configur\$8 with command with profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11

## EAST Search History

L10	0	L9 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L11	48	network with configur\$8 with profile same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L12	0	L11 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L13	399	repository with configuration with (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L14	7	L13 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L15	0	repository with configuration with (record file) same prior with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L16	0	L15 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L17	56	repository with configuration with (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L18	1	L17 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L19	230	repository with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11

## EAST Search History

L20	6	L19 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L21	24	repository with configuration near (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L22	0	L21 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L23	36	network with repository with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L24	2	L23 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L25	176	network with (repository database) with configuration near (record file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L26	3	L25 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L27	6	network with (repository database) with configuration near (record file) same version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L28	0	L27 and @pd>"20051221" and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L29	1	("5764955").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/12 07:11
L30	1	("6978301").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/12 07:11

## EAST Search History

L31	705	configuration adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:11
L32	931	configuration adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:11
L33	52	L32 same network adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L34	27	L33 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L35	1	configuration with from with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12
L36	7135	configuration with obtain\$4 with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12
L37	542	configuration with obtain\$4 with device with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12
L38	139	configuration with obtain\$4 with device with network with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12
L39	36	L38 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L40	4542	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12

## EAST Search History

L41	4779	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L42	2005	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L43	170	379/201.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/12 07:12
L44	53	(L40 L41 L42 L43) and configuration adj record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12
L45	29	L44 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 07:12